

F

INDEX MAPS.

T.4N R.6W 2nd Mer.

	456		455		455		455		454		454	
458	6	474	5	471	4	467	3	464	2	461	1	454
	475		473		470		467		464		461	
457	7	473	8	470	9	467	10	463	11	460	12	454
	475		473		470		466		463		460	
457	18	472	17	469	16	466	15	463	14	460	13	453
	474		472		469		466		462		459	
457	19	472	20	469	21	465	22	462	23	459	24	453
	474		472		469		465		462		459	
457	30	471	29	468	28	465	27	462	26	458	25	453
	474		471		468		465		461		458	
456	31	471	32	468	33	464	34	461	35	458	36	452
	452		452		451		451		451		451	

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

451

Township No 24 North of Range No 6 West 2nd Mer. Ind 3

Ch. L. Co.

South Boundary.

West On the South Boundary of sec. 36 T. 4 N. R. 6 W.

40.00 Set a 7/8" capst from which

1 Oak 10 in. dia. bent. S 19 N. 68 links end; 8,

Red Oak 12 " " " N 82 E. 64 " "

80.00 Sande hub; Timber Oak Maple & small prairie
Set a post for cor of sec. 35 & 36. Hickory 15. West 23. 1st Oak 9 324 774 6
Sand core and part prairie Timber Oak & Maple

West On the South Boundary of sec. 35 T. 4 N. R. 6 W.

8.40 Iron 1/2" Oak 6 in. dia. in the line. Corner S 28 W.

8.65 " " Oak 12 in. dia. in the line.

40.00 Set a 7/8" capst from which

1 Oak 7 in. dia. bent. N 74 W. 4 links end; 8,

Gum. 12 " " " S 33 E. 35 " "

55.00 To a stump 10 links end,

77.00 " " Gum. 12 in. dia. stands in the line.

80.00 Set a post for the cor of sec. 34 & 35 from which,

Oak 12 in. dia. bent. N 26 E. 31 links end; 8,

Oak 15 " " " S 27 E. 11 " "

Sande hub and part mt; Timber Oak & Maple

West On the South Boundary of sec. 34 T. 4 N. R. 6 W.

32.25 Iron 1/2" Oak 15 in. dia. stands in the line.

40.00 Set a 7/8" capst from which (in a stump)

Maple 8 in. dia. bent. N 60 W. 25 links end; 8,

Oak 15 " " " East 38 " "

71.46 Iron 1/2" Oak 36 in. dia. in the line.

80.00 Set a post for the cor of sec. 33 & 34 from which,

Gum. 12 in. dia. bent. N 5 W. 29 links end; 8,

O. Oak 22 " " " N 61 W. 33 " "

Sande hub and so generally mt; Timber Maple & Gum.

West On the South Boundary of sec. 33 T. 4 N. R. 6 W.

9.00 Iron 1/2" Oak 36 in. dia. stands in the line.

T. N. 4 N. R. No. 6 W. 2nd Mer. Sud.

- 40.00 Set a 74 to post from which,
W Oak 36 in. diam. bent. S65 W 34 links each, & 5
Gum. 12 " " S21 W 23 " "
- 55.50 To a Span. Oak 38 in. diam. stands in the line.
- 60.12 " " Brook 10 links each, cleared S25 W.
- 75.00 Swamp Continues to the West line of the Perry Co. line
- 80.00 Set a post for the cor of sec. 32 & 33. no swamp.

- West Line East Boundary of sec. 32. T. 2. N. R. 6 W.
- 40.00 Set a 74 to post from which, (in Swamp)
Oak 7 in. diam. bent. S75 W 23. links each, & 5
Oak 10 " " S31 E 11 " "
- 80.00 Set a post for the cor of sec. 31 & 32 in the Swamp from which,
Maple 20 in. diam. bent. S13 W 33 links each, & 5
Oak 12 " " S33 E 28 " "
Shade Swamp; Timber Maple Oak & Gum.

- West Line East Boundary of sec. 31. T. 2. N. R. 6 W.
- 35.00 The water in the Swamp is now two feet deep and appears to get deeper so that I can make no further.
Monday Feb. 14. 1805.

East Boundary

- North Line East Boundary of sec. 36. T. 4. N. R. 6 W.
- 40.00 Set a 74 to post in prairie.
- 45.00 To the Edge of woods.
- 66.00 To a Hick 18 in. diam. stands in the line.
- 80.00 Set a post for the cor of sec. 25 & 36 Gum which,
W Oak 30 in. diam. bent. S59 W 29 links each, & 5
Hick 12 " " S33 E 23 " "
Gum bent; Timber Oak & Hick.

North
40.00 On the East Boundary of sec. 25. T. 4. N. R. 6 W.
Set a 7/8 pole. From which,
To Oak 21 in. diam. trees. S 38 E. 20 links each, &
Do 18 " " " " S 22 W. 9 " "
53.90 To a W Oak 20 in. diam. in the line.
60.00 " " To a Brook 12 links min, corner S 30 W.
62.50 " " Do. 70 " " " " S 50 W.
66.90 " " W Oak 22 in. diam. stands in the line.
80.00 Set a post for the cor of sec. 24. & 25 from which,
To Oak 13 in. diam. trees. N 72 W. 18 links each,
To a hole and part bottom; rest, To a Oak map
& Hickory. March. 4. 1805.

North
20.00 On the East Boundary of sec. 24. T. 4. N. R. 6 W.
To a Brook 23 in. diam. stands in the line.
40.00 Set a 7/8 pole. From which,
To Oak 16 in. diam. trees. N 65 W. 23 links each, &
Do 12 " " " " S 82 E. 3 " "
51.90 To a W Oak 20 in. diam. stands in the line.
63.20 " " R. Oak 15 " " " " " "
77.50 To a Brook 20 links min, corner S 22 W.
80.00 Set a post for the cor of sec. 13 & 24 from which,
To Oak 7 in. diam. trees. S 11 E. 48 links each, &
Do. 9 " " " " N 37 E. 13 " "
To a low ridge: some bottom; To a Oak Maple

North
2.00 On the East Boundary of sec. 13. T. 4. N. R. 6 W.
To a Brook 20 links min, corner S 10 E.
20.00 " " Do. 20 " " " " S 10 W.
40.00 Set a 7/8 pole in prairie
80.00 Set a post for the cor of sec. 12 & 13 in prairie
To a hole; some Oak & Sassafras bush.

T. N. 4. N. R. 6 W. 2nd Mer. Ind.

North	On E. boundary of Sec. 12
20.00	To a stake land,
20.25	To a N Oak. 20 in. diam. stands in the line.
40.00	Set a 1/4 section from which a
	N Oak. 30 in. diam. bears N 72 E. 34 1/2 miles north; 4 1/2
	N Oak. 18 " " " S 73 N. 50 " "
57.50	To a Brook. 5 miles wide, bears S 60 E.
80.00	Set a post for the corner of 1 & 2. From which
	N Oak. 22 in. diam. bears S 73 N. 7 1/2 miles north; 4 1/2
	Yam. 12 " " " N 43 E. 13 " "
	Land here: Spruce Oak, Hickory, & Elm.

North	On the East Boundary of T. 1. N. 4. N. R. 6 W.
40.00	Set a 1/4 section from which
	N Oak. 22 in. diam. bears S 45 E. 7 1/2 miles north; 4 1/2
	Hickory. 13 " " " N 60 W. 78 " "
50.00	Edge of Large Prairie
67.00	To a Brook. 6 miles wide, bears N 50 W.
80.00	Set a post for the corner of T. 4 & 5 N. R. 3 & 4 W.
	Land here 50 ch. Spruce Oak & Hickory.

North Boundary.

West	On the South Boundary of T. 36. S. 5 N. R. 6 W.
7.00	To a Brook. 6 miles wide, bears N 20 E.
40.00	Set a 1/4 section in prairie
80.00	Set a post for the corner of sec. 35 & 36. From which
	Sack Oak. 12 in. diam. bears S 28 N. 24 1/2 miles north; 4 1/2
	Do. 13 " " " S 89 N. 26 " "
	Land here prairie

West	On the South Boundary of T. 35. S. 5 N. R. 6 W.
3.50	To a Brook. 4 miles wide, bears N.
24.20	" " N Oak. 34 in. diam. stands in the line.
40.00	Set a 1/4 section from which

Jack Oak. 12 in. dia: beam. 98 E. 45 links each; 15
 Elm. 8 " " " North 43, "
 51.27 To an Elm. 30 in. dia: stands in the beam.
 80.00 Set a post for the cor of lat. 34 & 35 from which
 Elm. 14 in. dia: beam. N 77 W. 11 links each; 15
 Jack Oak 7, " " 98 N 34, "
 Sande hole; Timber Oak Hickory & Elm.
 March. 5th 1805.

Met On the South Boundary of lat. 34. T. 5. N. R. 6 W.
 36.50 To a Birch. 50 links min, corner 34 & 35.
 40.00 Set a post for the cor of lat. 34 & 35 from which,
 Poplar. 14 in. dia: beam. N 84 W 8 links each; 15
 Walnut. 20 " " " 98 N 36, "
 50.29 To a large Swamp. which spreads over several miles
 forming a number of Islands of dry land.
 80.00 Set a post for the cor of lat. 33 & 34 in a Swamp
 Sande hole Timber Oak Hickory & Elm.

Met On the South Boundary of lat. 33. T. 5. N. R. 6 W.
 40.00 Set the 74 post in the Swamp.
 70.01 To the North side of Swamp.
 80.00 Set a post for the cor of lat. 32 & 33 from which,
 Swamp Oak. 7 in. dia: beam. N 41 W 17 links each; 15
 Elm. 22 " " " 96 N. 27, "
 Sande hole; Timber Oak, Elm, & Maple. Poplar Oak,
 &c. Part with

Met On the South Boundary of lat. 32. T. 5. N. R. 6 W.
 40.00 Set a 74 post from which,
 77 Oak. 20 in. dia: beam. 97 E. 14 links each; 15
 Elm. 10 " " " N 45 E. 26, "
 53.80 To a Poplar. 48 in. dia: stands in the line.

T. N. 4. N. R. N. 6 W. 2nd Mer. Sec.

65.00 To a stream 300 links out, hence S 30 W,
appears to be the outlet of a large pond in Swamp.
80.00 Set a post for the cor of sec. 31 & 32 from which
Elev. 14 in. dist. from N 75 E. 42 links out; 1/2
Do. 10 " " " S 62 W 17 " "
Sands here and with Timber Elev. Maple & Gum.
Poplar & Oak,

West Out the South Boundary of sec. 31. T. 5 N. R. 6 W.

26.17 To a W Oak 12 in. dist. Stands in the line.

40.00 Set a post from which

N Oak 5 in. dist. from N 70 W. 28 links out; 1/2

N Oak 8 " " " S 49 W 48 " "

65.00 To a N Oak 8 in. dist. Stands in the line.

80.30 Set a post for the cor of T. 4 S 3 N. R. 6 W.

Sands here in low ridge, Timber Oak, Elm & Poplar,
past mt. March 6th 1885.

Surveyed by

Robt. Hutto & Jacob Hutto, D.S.

West Boundary

North Out the East Boundary of sec. 36. T. 4. N. R. 7 W.

through Swamp. Timber Oak, Elm, Maple Elm & Cotton

29.00 Sands 2nd rate interval Timber " " & Oak, 1/2

40.00 Set a post from which

Maple 16 in. dist. from S 58 W 30 links out; 1/2

Gum. 16 " " " N 33 E 22 " "

45.00 2nd rate a plenty; Timber Oak, Hickory, Gum Poplar & Oak.

55.00 To an Oak 21 in. dist. Stands in the line.

80.00 Set a post for the cor of sec. 35 & 36. From which

Oak, 10 in. dist. from S 40 W. 26 links out; 1/2

Do. 12 " " " S 59 W 15 " "

North Along East Boundary of Sec. 25 T. 4. N. R. 7 W.
 Soil and timber same as last mile.
 25.10 To go Oak. 10 in. dia. Stands in the line.
 40.00 Set a post from which
 Oak. 12 in. dia. trees. At 571.53 miles out; 8th
 narrow trees near.
 61.00 Some Oak. 8 in. dia. Stands in the line.
 80.00 Set a post for the cor. of Sec. 24 & 25. From which
 B. Jack. 10 in. dia. trees. At 571.51 miles out; 7th
 B. Jack. 9 in. dia. trees. At 571.67 " "
 Land last 1/2 mile prairie. Thinly timbered with B. Jack
 & Hickory; much grass &c.

North Along East Boundary of Sec. 24 T. 4. N. R. 7 W.
 40.00 Set a post from which
 Oak. 14 in. dia. trees. At 797.28 miles out; 15th
 narrow trees near.
 80.00 Set a post for the cor. of Sec. 13 & 24 From which
 Oak. 14 in. dia. trees. At 797.43 miles out; 14th
 This mile is prairie. Some Oak, Hickory &c.

North Along East Boundary of Sec. 13 T. 4. N. R. 7 W.
 40.00 Set a post from which
 80.00 Set a post for the cor. of Sec. 13 & 24 From which
 Oak. 18 in. dia. trees. At 821.84 miles out; 8th
 Do. 20 in. dia. trees. At 847.78 " "
 This mile is all prairie; some small Oak & Hickory

North Along East Boundary of Sec. 12 T. 4. N. R. 7 W.
 40.00 Set a post from which
 80.00 Set a post for the cor. of Sec. 1 & 12. From which
 Oak. 12 in. dia. trees. At 837.36 miles out; 7th
 This mile is prairie. Thinly timbered with Oak & Hickory

T. N. 4. N. R. N. 6 W. 2nd Mer. Sec.

North	On the East Boundary of sec. 1. T. 4. N. R. 7 W. Land same as last mile.
40.00	Set a 1/4 section in Open barrens; no burning trees.
41.79	To an Oak 14 in. diam. stands in the line.
44.77	" " Brook 50 yards wide, course N 40 W
45.00	To 1st date bottom land limits ash & elm.
55.00	To barrens, some Oak & Hickory.
80.00	Set a post for the cor of T. 4. + 5 N. R. 6 7 W. from which a W Oak 10 in. diam. bears N 64 1/2 W. 93 yards out; to Hickory 12 " " " S 68 W. 108 " "
Feb 7 th 1805. Surveyed by Stephen Benton L.S.	

Subdivisions

North	Return Lat. 35 T 36. T. 4. N. R. 6 W.
20.00	To a Brook 6 yards wide, course W.
40.00	Set a 1/4 section in a prairie.
80.00	Set a post for the cor of sec. 25, 26. 35 T 36 in prairie. Land here and generally prairie

East	Return Lat. 25 T 36. T. 4. N. R. 6 W.
39.50	To Woods land.
40.00	Set a 1/4 section at an. dish from which, Oak 8 in. diam. bears N 40 E. 19 yards out; to Logwood 15 " " " S 20 W 8 " " "
55.00	To a Brook 5 yards wide, course N 30 W.
80.00	Intersect the East Boundary at the post cor of sec. 25 T 36. Land here and part out. limits Oak, Hickory

North	Return Lat. 25 T 36 T. 4. N. R. 6 W
40.00	Set a 1/4 section from which, W Oak 8 in. diam. bears N 15 E. 23 yards out; to

J. N. H. N. H. N. 677. 2nd. Mr. Ind?

W. Oak 17 in air: trees. N 167 W 19 links north;
 47.50 To a Hickory 20 in. air: stands in the line.
 78.50 To a Brook. 90 links north, corner N 50 W
 80.00 Set a post for the corner of sec. 23, 24, 25 & 26 from which,
 N. 12 in. air: trees. S 30 W 19 links north & 30
 E. 10 " " " N 9 E. 17 " "
 Land here and depart mt. Timber Oak Gum & Maple.

East Between Sec. 24 & 25. J. 4. N. H. 8 W.
 4.10 To a Oak. 85 links north, corner J.
 35.00 " " Do. 85 " " " N 60 W.
 40.00 Set a post at av. dist. from which a
 W. Oak. 24 in. air: trees. S 50 W. 23 links north; & 3
 E. 20 " " " S 38 E. 28 " "
 80.00 Intersub the N & S line at the first corner of sec. 24 & 25
 Land here and depart mt. Timber Maple, Gum & Oak.

North Between Sec. 23 & 24. J. 4. N. H. 6 W.
 32.50 To Gum. 12 in. air: stands in the line.
 40.00 Set a post from which a
 Oak, 20 in. air: trees. S 83 E. 58 links north; & 3
 E. 18 " " " S 56 W 33 " "
 80.00 Set a post for the corner of sec. 13, 14, 23 & 24 from which,
 W. Oak, 6 in. air: trees. N 46 W. 29 links north; & 3
 Hickory 12 " " " N 87 E. 35 " "
 Land here and depart mt. Timber Gum & Maple Oak & S.

East Between Sec. 13 & 24. J. 4. N. H. 6 W.
 40.00 Set a post from which a
 Hickory 18 in. air: trees. S 36 E. 49 links north; & 3
 Do. 14 " " " S 48 W 45 " "
 80.00 Intersub the East Boundary 25 links South of the first corner
 of sec. 13 & 24

T. N. 4. N. R. N. 67. 2nd Mer. Ind.

Sand hill; Timber Oak & Hick. March 11. 1805.

North Return Sur 13 & 14 T. 4 N. R. 67.

37.75 To a Brook 5 links out, Corner S 50 N

40.00 Set a 7/8 post from which

J. Oak. 14 in. diam. bend. N 19 E. 45 links dist; & 9

Ho. 12 " " " N 3 E. 48 " "

80.00 Set a post for the cor. of sec. 11 12, 13 & 14 from which

W Oak. 14 in. diam. bend. N 62 W 5 links dist; & 3

Hick 15 " " " S 65 E 30 " "

Good Oak Land;

East Return Sur 12 & 13 T. 4 N. R. 67.

0.75 To a Brook. 3 links out, Corner S.

40.00 Set the 7/8 post at cor. dist from which

Hick 14 in. diam. bend. N 26 E 39 links dist; & 9

Ho. 18 " " " S 84 W. 45 " "

80.00 To meet the East Boundary at the post cor. of sec. 12 & 13.

Sand hill; Timber Brook Oak & Hick.

March 13. 1805.

North Return Sur 11 & 12 T. 4 N. R. 67.

5.75 To a Brook 30 in. diam. stands in the line.

40.00 Set a 7/8 post from which

Yew. 12 in. diam. bend. S 43 W. 48 links dist; & 9

Ho. 10 " " " N 70 E 31 " "

44.50 To a Brook. 6 links out, Corner N 30 W.

64.83 " " W Oak. 30 in. diam. stands in the line

80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which

W Oak. 30 in. diam. bend. S 80 E 34 links dist; & 9

Hick 12 " " " N 76 W 27 " "

Sand hill ridge, pink ash. Timber Oak & Hick

461

T. N. 4. N. R. N. 6 W. 7th M. Ind.

East	Return Lat. 1. & 12 T. 4. N. R. 6 W.
18.50	To a Buck. 7 links out, corner S. 20 W.
40.00	Set a 1/4 section at ar. dist from which, Hick 14 in. dia. beam. N 44 W. 15 links out; & 9 Ln. 10 " " " N 83 W 17 " "
60.00	To a Buck. 4 links out, corner S.
73.00	To a Ln. 3 " " " 950 E.
80.00	Intersect the N. S. line at the post cor of lat. 1. & 12. Sande horn; Timber Oak & Hick

North	Return Lat. 1 & 12 T. 4. N. R. 6 W.
25.00	To a Hick 22 in. dia. stands in the line.
40.00	Set a 1/4 section from which, Oak 14 in dia. beam. S 83 W. 43 links out; & 9 Ln. 23 " " " N 27 E. 30 " "
80.25	Intersect the N. Boundary at the post cor of lat. 35 & 36; Sande horn and post out; T. 5 N. R. 6 W. March. 15. 1805.

North	Return Lat. 34 & 35. T. 4. N. R. 6 W.
40.00	Set a 1/4 section from which, Hick 12 in. dia. beam. S 53 E. 15 links out; & 9 Ln. 15 " " " N 67 W 30 " "
54.50	To a Red Oak 30 in dia. stands in the line.
80.00	Set a post for the cor of lat. 26, 27. 34 & 35 from which, Hick 10 in. dia. beam. N 64 W 23 links out; & 9 Ln. 7 " " " N 85 E. 18 " "
	Sande horn; and post; Timber Elm & Oak.

East	Return Lat. 26 & 35. T. 4. N. R. 6 W.
40.00	Set a 1/4 section at ar. dist in the prairie.
80.00	Intersect the N. S. line at the post cor of lat. 25, 26 35 & 36. Sande post barrens; Timber Elm Oak & Hick

T. N. 4. S. R. N. 6 W. 2nd Mer. Ind.

North Return Lat 26 & 27. T. 4. S. R. 6 W.
 25.56 To a W Oak. 18 in. dia. Stands in the line.
 40.00 Set a 7/8 post from which a
 Swamp Oak 8 in. dia. stands S 55 W 9 links north & 4
 L. 20 " " " N 57 E 38 " "
 53.50 To a Brook. 90 links wide, course W
 Lands here and part west; Timber Oak Maple & Elm.
 March 7th 1805.

East Return Lat. 23 & 26. T. 4. S. R. 6 W.
 40.00 Set a 7/8 post at an. ends on the true line from which,
 W Oak. 20 in. dia. stands N 77 W. 19 links north & 4
 L. 34 " " " S 56 W. 28 " "
 55.00 To a Brook. 90 links wide, course S 30 W.
 75.00 " " L. 90 " " " N.
 80.00 Set a post for the cor of sec. 23, 24, 25 & 26. from which
 Lands here and part bottom. Timber Oak Maple,
 Gum & Ash.

North Return Lat. 22 & 23. T. 4. S. R. 6 W.
 12.3 To a W Oak. 18 in. dia. Stands in the line.
 15.00 " " Brook. 10 links wide, course W.
 40.00 Set a 7/8 post from which a
 Elm. 18 in. dia. stands S 41 W 29 links north & 4
 L. 10 " " " N 74 E 54 " "
 69.25 To a Hickory 15 in. dia. Stands in the line.
 80.00 Set a post for the cor of sec. 14, 15, 22, & 23 from which
 Hickory 10 in. dia. stands N 69 W 17 links north & 4
 L. 14 " " " N 18 W 24 " "
 Lands here and part west; Timber Maple & Elm.

East Return Lat. 14 & 23. T. 4. S. R. 6 W.
 21.25 To a Brook 8 links wide, course S 30 E.

T. N. 4. N.R. N. 6 W. 2nd Mer. Ind.

40.50	Set a 7 th ca post at ar. dist on the line from which Sun. 14 in. dist. band. S 37 E. 102 links each; & 9 Roe Oak 20 " " " N 64 E. 244 " "
80.00	Intersect the NRS line at the post cor of ed. 13. 14. 23 & 24 Lands here barrens and spout mt; Timber Oak & Hickory
North	Return Lat. 14 & 15 T. 4. N.R. 6 W.
23.75	Set a Brook 3 links min, corner S 30 E.
33.50	" " Jack Oak 14 in. dist. stands in the line.
40.00	Set a 7 th ca post from which an Oak 10 in. dist. band. S 68 E. 7 links each; & 9 Hickory 7 " " " S 44 W 35 " "
57.50	Set a Brook. 5 links min, corner S 20 E.
80.00	Set a post for the cor of Lat. 10. 11. 14 & 15 from which Hickory 14 in. dist. band. N 21 E. 21 links each; & 9 Do. 15 " " " S 78 W 29 " " Lands here and mt; Timber Maple & Oak.
East	Return Lat. 11 & 14 T. 4. N.R. 6 W.
38.25	Set a Brook 10 links min, corner S 50 W
40.00	Set a 7 th ca post from which W Oak 12 in. dist. band. N 42 W 38 links each; & 9 Do. 18 " " " S 40 E. 26 " "
80.00	Intersect the NRS line 20 links South of the post cor of ed. 11. 12, 13 & 14 Lands here ridges; Timber B & W Oak
North	Return Lat. 10 & 11 T. 4. N.R. 6 W.
8.60	Set a Hickory 18 in. dist. stands in the line.
19.93	" " Do. 12 " " " " " "
40.00	Set a 7 th ca post from which Jack Oak 4 in. dist. band. S 34 W 10 links each; & 9 Do. 3 " " " N 85 W 30 " "
66.96	Set a W Oak. 22 in. dist. stands in the line.

T. N. 4. S. R. N. 6 W. 2nd Mer. Ind.

78.50	To a Brook. 5 links min, corner N 40 W
80.00	Set a post for the cor of sec. 2, 3 10 & 11 from which in barrens. Sande land and post mt; Timber Oak Hickory & Elm. Some barrens.
Cash	Return Lat. 2 & 3. T. 4. S. R. 6 W.
10.00	To a Brook. 6 links min, corner N 40 W
40.00	Set a 7/4 post at ar. with from which a Hickory 14 in. dia. beam. N 54 W. 12 links curb; & a Do. 6 " " " S 24 W 8 " "
80.00	Intersect the N. S. line at the post cor of sec. 1, 2, 11 & 12 Sande land Oak & Hickory
North	Return Lat. 2 & 3. T. 4. S. R. 6 W.
2.80	To a W Oak. 24 in. dia. Stands in the line.
4.50	" " To a Brook. 6 links min, corner N 35 W
40.00	Set a 7/4 post from which an Oak. 16 in. dia. beam. S 27 E. 65 links curb; & a Elm. 15 " " " N 85 E 67. "
65.00	To a Brook. 6 links min, corner W.
66.05	" " Hickory 12 in. dia. Stands in the line.
84.50	Intersect the S. R. boundary at the post cor of sec. 34 & 35 T. 5 S. R. 6 W. Sande land and mt. barrens. Scattering Oak & Elm.
North	Return Lat. 33 & 34 T. 4. S. R. 6 W.
22.74	To a Poplar. 24 in. Stands in the line.
40.00	Set a 7/4 post from which a W Oak. 4 in. dia. beam. N 17 E 20 links curb; & a Do. 10 " " " N 45 W. 24. "
64.43	To a W Oak. 20 in. dia. Stands in the line
80.00	Set a post for the cor of sec. 27, 28 33 & 34 from which Scamp Oak. 16 in. dia. beam. N 59 E 21 links curb; & a

465

T. N^o 4. N.R. N^o 6. W. 2nd (Mr. Shd^r)

Dec 10 in. diam. beam. West. 14 links out; Y^a,
Sande wood and oak; Tinto Oak. Elm & Maple.

Cash	Between Lat. 27 & 34 T. 4. N.R. 6 W.
40.00	Set the 7 th sap post at av. dist from which a
	W. Oak. 12 in. diam. beam. N 30 W. 20 links out; Y ^a , Yum. 13 " " " S 8 W. 4 " "
55.00	To a Swamp 10 Ch. m. w. Thence S 20 W.
80.00	Intersect the N 53 line at the post cor. of Lat. 26, 27, 34 & 35 Sande generally out; Tinto Oak, Maple, Oak & Gum.

North	Between Lat. 27 & 28. T. 4. N.R. 6 W.
15.10	To a Brook 90 links m. w. thence W.
32.85	" " Maple. 20 in. diam. It stands on the line.
40.00	Set a 7 th sap post from which an
	Elm. 10 in. diam. beam. N 43 E. 22 links out; Y ^a & Elm 15 " " " S 15 W 6 " "
63.50	To a large Swamp thence S 30 W.
80.00	Set a post for the cor. of Lat. 21, 22, 27 & 28. Sande generally out; Tinto Maple & Elm.

Cash	Between Lat. 22 & 27 T. 4. N.R. 6 W.
20.00	To the East side of a Swamp
40.00	Set a 7 th sap post from which a
	Gum. 8 in. diam. beam. N 83 W 17 links out; Y ^a , W. Oak. 12 " " " S 19 W 19 " "
80.00	Intersect the N 53 line at the post cor. of Lat. 22, 23, 26 & 27 Sande wood and oak. Tinto Maple & Oak.

North	Between Lat. 21 & 22. T. 4. N.R. 5 W
7.00	To the North side of a Swamp
26.25	To a W. Oak 22 in. diam. It stands on the line.
40.00	Set a 7 th sap post from which a

T. N. 4. N. R. N. 6 W. 2nd Mer. Ind.

W. Oak. 30 in. diam. beam 950 N. 50 links each; 49
 Q. 23 " " " 941 N. 90 " "
 80.00 Set a post for the cor. of cor. 15, 16, 21 & 22 from which
 Maple 8 in. diam. beam. N 70 N. 15 links each; 49
 Elm. 12 " " " 966 E. 30 " "
 Gauge line ridges Timber Oak.

Cash Return Dec. 15 & 22 T. 4. N. R. 6 W.
 10.00 Set a 7/4 post at av. dist on the line from which
 Elm. 16 in. diam. beam. 960 N. 20 links each; 49
 W. Oak. 18 " " " 966 E. 16 " "
 80.00 Intersub the N & S line 25 links South of the post cor. of cor.
 14, 15, 22 & 23.
 Gauge hole and point knirpy Timber Oak, Hickory
 Elm, Maple.

North Return Dec. 15 & 16 T. 4. N. R. N. 6 W.
 13.40 To a N Oak. 20 in. diam. stands on the line.
 39.90 To a Brook 10 links in, 943 W.
 40.00 Set a 7/4 post from which
 J. Oak. 14 in. diam. beam. N 74 N. 30 links each; 49
 Q. 24 " " " 924 N. 41 " "
 61.00 To a Hickory 20 in. diam. on the line.
 80.00 Set a post for the cor. of Dec. 9, 10, 15 & 16 from which
 W. Oak. 30 in. diam. beam. S 20 E. 16 links each; 49
 Q. 8 " " " 930 N. 45 " "
 Gauge hole; Timber Oak Hickory

Cash Return Dec. 10 & 15 T. 4. N. R. 6 W.
 15.50 To a Brook 8 links in, corner J.
 40.00 Set a 7/4 post at av. dist from which
 W. Oak. 15 in. diam. beam. N 83 E. 75 links each; 49
 Q. 18 " " " 945 E. 69 " "

467

T. N. 4. N. R. N. 6 W. 3rd Mer. Ind.^a

80.00	Intersect the N & S line at the post cor of Lat. 10. 11. 14 & 15. Sande wood & sports msk, Timber Oak & Maple.
North	Return Lat 9 & 10. T. 4. N. R. 6 W.
6.50	To a Hick 15 in. dia. stands in the line.
40.00	Set a 7 th post from which a Jack. Oak. 7 in. dia. beam N 1 W. 24 links each; 8; Spruce Oak. 8 " " North 57 " "
55.40	To an Oak. 18 in. dia. stands in the line.
80.00	Set a post for the cor of Lat. 3. 4. 9 & 10 from which a, Red Oak, 8 in. dia. beam N 18 W. 25 links each; 8; Oak, 8 " " " S 22 E. 22 " " Sande wood Timber Oak & Maple.
Cash	Return Lat 3 & 10 T. 4. N. R. 6 W.
37.00	To a Spruce 15 ch. msk, hence N 30 W.
40.00	Set a 7 th post at av. dist from which a, Red Oak. 38 in. dia. beam. N 27 W. 41 links each; 8; Elm. 10 " " " S 26 E. 10 " "
52.00	East side, of Swamp.
79.50	To a Birch. 6 links msk, hence N 45 W.
80.00	Intersect the N & S line at the post cor of Lat. 2, 3, 10, & 11. Sande Swamp, barrens & mt. Timber Oak Maple & Elm.
North	Return Lat 3 & 11. T. 4. N. R. 6 W.
10.04	To a W Oak. 24 in. dia. stands in the line.
40.00	Set a 7 th post from which a, Hick 12 in. dia. beam S 72 W. 45 links each; 8; Do. 8 " " " N 8 E 30 " "
52.50	To a large Swamp
86.75	Intersect the N Boundary at post cor of Lat. 3 & 11 T. 5 N. R. 6 W. Sande wood & sports msk. Timber

T. N^o 4. N.R. N^o 677. 2nd (Mn. Lnd^a.)

Oak Elm Maple. The swamp is so deep I could not make this it.

North Return Lnd 30, 33. T. 4 N.R. 677
 13.58 To a Gum. 20 in. dia. stands in the line.
 40.00 Set a 1/4 post from which a
 Cottonwood 18 in. dia. bears. N57 W 46 links each; 4
 Hickory 7 " " " S41 W 11 " "
 58.10 To a Hickory 18 in. dia. stands in the line.
 58.50 " " Brook. 8 links min, comes N60 W.
 76.25 " " Ld. 6 " " " N45 W
 80.00 Set a post for the cor. of lvs 28, 29, 32 & 33 from which
 Red Oak. 22 in. dia. bears. N53 W. 16 links each; 4
 Ld. 12 " " " N48 E 68 " "
 Lunde herb; Timber Oak, Hickory and Gum.

East Return Lnd 28 & 33. T. 4 N.R. 677.
 40.00 Set the 1/4 post in barrens at an arch.
 60.00 To a large Swamp. Comes. S20 E.
 80.00 Subvert the N45 line at the post cor. of lvs. 27, 28.
 33 & 34. Lunde herb; Timber Oak, Hickory, Maple,
 & Elm. & Gum. part barrens.

North Return Lnd 28 & 29. T. 4. N.R. 677
 15.00 To a Brook. 30 links min, comes S50 W.
 18.55 " " Ld. 100 " " " S60 W
 40.00 Set a 1/4 post from which a
 Maple. 23 in. dia. bears. N73 W. 4 links each; 4
 Ld. 8 " " " N74 E 20 " "
 56.50 To a Gum. 20 in. dia. stands in the line.
 80.00 Set a post for the cor. of lvs 21, 21, 28 & 29 from which
 Oak. 12 in. dia. bears. S53 E 4 links each; 4
 Callasps 8 " " " N49 W 18 " "

469

T. N. A. N. R. N. 6 N. 2nd Mer Ind.

Land held, generally mt; Tinto Oak. Maple & Elm
March. 8. 1805.

East	Return Sat 21. & 28 J. H. N. R. 6 N
40.00	Set the 1/4 ea post at av. dist on the line from which W Oak 23 in. dia. bend. N 64 N. 16 links each, & g Newby 10 " " " N 48 E. 5 " "
51.50	To a Swamp.
80.00	Intersect the NTS line at the post cor of lat. 21. 22. 27. & 28. East named post in Swamp. Land held, Tinto Maple & Elm. March. 9. 1805.

North	Return Sat 20 & 21. J. H. N. R. 6 N.
40.00	Set a 1/4 ea post from which Newby 18 in. dia. bend. S 8 E. 33 links each, & g L. 13 " " " S 50 E. 38 " "
65.00	To a Swamp 250 links in, corner S 30 E.
80.00	Set a post for the cor. of lat. 16. 17. 20 & 21. from which W Oak. 32 in. dia. bend. S 64 N. 10 links each, & g Newby 14 " " " S 60 E. 13 " "
	Land held and set out; Tinto Oak, Maple, Elm, & Elm. March. 10 th . 1805.

East	Return Sat 16 & 21. J. H. N. R. 6 N.
40.00	Set a 1/4 ea post at av. dist from which W Oak. 22 in. dia. bend. S 16 N. 24 links each, & g L. 23 " " " N 45 N 48. " "
50.00	To a Brook. 15 links in, corner S.
80.00	Intersect the NTS line at the post cor of lat 15. 16. 21 & 22 Set Oak land;

North	Return Sat 16 & 17 J. H. N. R. 6 N
37.40	Set an Oak. 12 in. dia. stands on the line.

T. N. H. N. R. N. 6 W. 2nd Mer. Ind.

40.00 Set a 7/4 sap post from which
Red Oak 20 in. diam. beam. 116 W. 26 links each, 1/2
La. 13 " " " 1138 E. 26 " "
58.75 To a Neck 12 in. diam. stands in the line.
80.00 Set a post for the cross bar. 8. 9. 16 117 from which,
W. Oak. 20 in. diam. beam. 117 E. 31 links each, 1/2
Eh. 12 " " " 117 E. 31 " "
Sands hole under Rock; Timber Oak, Walnut & Oak

Cash Return Sat. 9. 116 J. 4. N. R. 6 W.
40.00 Set the 7/4 sap post at av. dist. from which are
Eh. 10 in. diam. beam. 1169 E. 13 links each, 1/2
La. 10 " " " 114 W. 7 " "
45.00 To a Brook. 4 links wide, 116 W.
80.00 Entrench the N. & S. line 20 links north of the post.
Cross bar. 9. 10. 15 & 16.
Sands hole; Timber Oak, Hickory & Eh.

North Return Sat. 8 & 9. J. 4. N. R. 6 W.
14.10 To a Neck 15 in. diam. stands in the line.
40.00 Set a 7/4 sap post from which
White Oak 20 in. diam. beam. 132 W. 27 links each, 1/2
Eh. 12 " " " 188 W. 27 " "
46.50 To a Neck 12 in. diam. stands in the line.
66.50 To a Large Swamp. 9 to 10 links wide, 116 W.
80.00 Set a post for the cross bar. 4. 5. 8 & 9. In Swamp,
Timber. Maple, Eh., Green Hickory & Oak. in the
dry land.

Cash Return Sat. 4 & 9. J. 4. N. R. 6 W.
16.00 To the East side of swamp.
40.00 Set a 7/4 sap post from which are
W. Oak. 24 in. diam. beam. 158 W. 39 links each, 1/2

471

J. No 4. N.R. No 677. W. up Mm. Ind.:

80.00 Healthy 13 in. diam. trunk 824 E. 24 limbs each; 89
Intersect the N+S line at the post cor of sec. 3, 4 & 10.
Scrub low part Swamp. Harwood. Timber Oak &
Maple.

North Return Sec. 4 & 5. J. 4. N.R. 677.

40.00 Set a 1/4 sa post in Swamp.

89.00 Intersect the N Boundary at post. cor of sec. 32 & 33.
J. 5 N.R. 677 This mile is all Swamp. and cannot
be passed thro the water is so deep. Timber Maple
& Elm.

North Return Sec. 31 & 32 J. 4. N.R. 677.

40.00 Set a 1/4 sa post

80.00 Set a post for the cor of sec. 29, 30, 31 & 32
Timber Maple & Elm. I cannot find this line the
water is so deep.

Web Return Sec. 29 & 32 J. 4. N.R. 677.

6.25 To a Brook. 10 limbs wide, comes S 70 W.

10.00 Into the Large Swamp; Can go no farther

40.00 Cor of 1/4 Sec. in Swamp

80.00 Cor of sec. 29, 30, 31 & 32
Timber Maple Elm, & Gum.

South Return Sec. 29 & 30 J. 4. N.R. 677.

40.00 Set 1/4 sa post from which a

White Oak 15 in. diam. trunk. N 50 W. 11 limbs each; 89

Co. 12 " " " S 3 W. 25 " "

44.25 To a W Oak 18 in. diam. stands in the line.

50.50 To the Large Swamp Timber Oak & Maple. Long
To the Swamp.

T. N. H. N. R. No 6 W 2nd Mar. Ind.

Wash Return Las 20 & 29. T. H. N. R. 6 W
 40.00 Set a 74 report at ar. dis on the line from which
 Elm 9 in. diam. bend. N 45 W. 14 links each; 8
 71 Oak 74 " " S 30 W 17 " "
 80.00 Set a post for the cor of las 19 20. 29. & 30 from which
 73 Oak 22 in. diam. bend. N 47 E. 48 links each; 8
 Oak 20 " " " S 57 W. 43 " "
 Sande hnd; Junco Oak & Poplar.

North Return Las 19 & 20 T. H. N. R. 6 W.
 32.00 To an Oak 24 in. diam. stands in the line.
 40.00 Set a 74 report from which
 Oak 20 in. diam. bend. S 18 E. 39 links each; 8
 Hick 19 " " " S 71 W 3 " "
 69.25 To a 73 (Oak) 22 in. diam. stands in the line.
 80.00 Set a post for the cor of las 17 18 19 & 20 from which
 Red Oak, 14 in. diam. bend. N 35 W 43 links each; 8
 Do. 15 " " " S 28 W 34 " "
 Sande hnd; Junco Oak ash, & Mahant.

East Return Las 17 & 20. T. H. N. R. 6 W.
 40.00 Set the 74 report at an dis from which
 Jack Oak. 10 in. diam. bend. N 1 W. 56 links each; 8
 Do. 21 " " " S 89 W 23 " "
 45.00 To a Swamp. 10 ch. Rhuss. N. & S
 48.00 To a Brook. 25 links min, leave S 30 E.
 80.00 Set up at the N & S at the post cor of las 16. 17. 20 & 21.
 Sande hnd Oak burrns

North Return Las 17 & 18 T. H. N. R. 6 W.
 22.30 To a Brook 10 links min, leave S 40 E.
 38.53 " " Hick 15 in. diam. stands in the line.
 40.00 Set a 74 report from which

T. N. 4. N. R. 6 W. 2nd Mer. Sud.

473

Heik 12 in. diam. beam N 35 7/8 W 34 links each;
 No. 13 " " " S 50 E 27 " "
 54.50 To a Heik 16 in. diam. stands on the river.
 12.50 To a B. Oak. 30 in " " " " "
 80.00 Set a post for the cor of sec. 7, 8, 17, & 18 from which,
 Oak. 12 in. diam. beam S 29 E 24 links each; & a
 No. 14 " " " N 36 W 32 " "
 Run de hors ridge neck; Timber Oak, Ash, & Walnut,
 March. 12th 1805.

Cash Return Lat. 87 1/2 T. 4. N. R. 6 W.
 38.00 To a Prairie 10 ch. mds, Corner South.
 40.00 Set a post in prairie
 42.55 To a Brook 8 links mds, corner S 15 E.
 80.00 Set at the NW 1/4 line at the post cor of sec. 8, 9, 16 & 17.
 Run de hors Timber Oak & Ash, March. 12th 1805.

Arch Return Lat. 7 & 8 T. 4. N. R. 6 W.
 10.50 To a Heik 20 in. diam. stands on the river.
 40.00 Set a 1/4 sec post from which a
 Run. 12 in. diam. beam N 80 E 34 links each; & a
 Red Oak 1/4 " " N 37 W 65 " "
 80.00 Set a post for the cor of sec. 5, 6, 7 & 8, in a prairie.
 Run de hors 1/4 pr. mds. rich land; Timber Oak & Walnut.
 " 2nd " " NW "

Cash Return Lat. 5 & 8. T. 4. N. R. 6 W.
 3.00 To the East side of Harris and Swamp.
 40.00 Set the 1/4 sec post at ar. dist. from which,
 Oak. 14 in. diam. beam. N 87 W 20 links each; & a
 Elm. 8 " " " S 14 W 10 " "
 50.00 To a Swamp. 40 ch. corner N 45 W.
 80.00 Set at the NW 1/4 line at the post cor of sec. 4, 5 & 9.

T. N. 4. N. R. N. 6 W. 2nd Mer. Sud?

Suede herd and part swamp.

North Return Jul 5 & 6. T. 4. N. R. 6 W.
 6.20 To the N. side of pond.
 34.50 To a Swamp 40 ch. mid, Corner W.
 40.00 Set a trap report in Swamp.
 50.00 To a lake 110 links mid, passing through the
 Swamp, Run. West
 79.94 To a Sun. 20 ins diam in the line.
 91.45 Intersect the N. R. boundary at the post cor of lat. 31 & 30
 Suede herd and mt. In raiding the above Swamp
 the above Swamp the water was from (reeds,
 crotch deep.) March. 16. 1805.

West Return Jul 30 & 31. T. 4. N. R. 6 W.
 This time I could not run; the water was too deep.

West Return Jul 19 & 20. T. 4. N. R. 6 W.
 36.80 To a Brook 10 links mid, Corner W.
 40.00 Set a trap report from where
 Poplar. 26 in. diam. trees 97 W. 12 links mid; &
 Walnut. 8 " " " 143 E. 18 " "
 52.00 To a Brook 12 links mid, Corner S.
 79.50 Intersect the West Boundary at 870 links South of the
 post cor of lat. 24 & 25. T. 4. N. R. 7 W.
 The above post is along grain in Suede herd, from
 Oak Timber.

West Return Jul 18 & 19. T. 4. N. R. 6 W.
 40.00 Set a trap report of grain where
 93 Oak. 8 in. diam. trees 931 W. 29 links mid; &
 20. 7 " " " 940 E. 65 " "
 79.70 Intersect the West Boundary 10.50^{ch. sk} South of the post

T. No. 4. N. 4. N. 4. N. 4. 2nd Mer. Ind.

crossed. 13 & 24. T. 4. N. 4. N. 4. and set apart for the

" " 18 & 19 from which

W. Oak. 23 in. diam. 146 N. 125 E. 125

Ln. 22 " " " S 84 E. 238 "

Sand hole and set barrels some Oak.

West Between S. 4. 48 T. 4. N. 4. N. 4.

40.00 Set a 74 barrel in prairie.

41.00 To a Brook. 10 E. 125 N. 4. 120 N.

79.75 Intersect the West Boundary 12 ch. South of the post.

crossed. 12 & 13. T. 4. N. 4. N. 4. and set apart for the

" " 7 & 18 from which

W. Oak. 13 in. diam. 154 E. 65 N. 125

Ln. 12 " " " S 85 N. 70 "

Sand hole and set part prairie

West Between S. 4. 48 T. 4. N. 4. N. 4.

7.00 To a Brook. 12 E. 125 N. 4. 120 N.

40.00 Set the 74 barrel in prairie.

79.50 Intersect the West Boundary 12 ch. South of the

post crossed. 1 & 10. T. 4. N. 4. N. 4. in barrels
or prairie. Sand hole barrels.

Surveyed by
R. H. Smith & Jacob. Foster
Deputy Surveyors

Certify that the foregoing Transcript of the
Field notes of Township No. 4 North of Range No.
6 West 2nd Meridian in Indiana, has been com-
pared with the Original notes in this Office.
and found to be correct

Surveyor General's Office,

Cincinnati, May 25 1841.

E. S. Haines

Sur. Genl.